




Stereocontrolled Synthesis of Orthogonally Protected 2-Substituted 4-Aminopiperidines



Ramón Badorrey,^a Elsa Portaña,^a María D. Díaz-de-Villegas^{*a} and José A. Gálvez^{*a}

^a Departamento de Química Orgánica, Instituto de Ciencia de Materiales de Aragón, Instituto Universitario de Catálisis Homogénea, Universidad de Zaragoza-CSIC, E-50009 Zaragoza, Spain. Fax: +34 976 761202; Tel: +34 976 762274; E-mail: loladiaz@unizar.es, jagl@unizar.es.


Table of contents

¹ H NMR and ¹³ C NMR spectra for compound 3	2
¹ H NMR and ¹³ C NMR spectra for compound 4	3
¹ H NMR and ¹³ C NMR spectra for compound 5	4
¹ H NMR and ¹³ C NMR spectra for compound 6	5
¹ H NMR and ¹³ C NMR spectra for compound 7	6
¹ H NMR and ¹³ C NMR spectra for compound 8	7
¹ H NMR and ¹³ C NMR spectra for compound 10	8
¹ H NMR and ¹³ C NMR spectra for compound 11	9
¹ H NMR and ¹³ C NMR spectra for compound 12	10
¹ H NMR and ¹³ C NMR spectra for compound 13	11
¹ H NMR and ¹³ C NMR spectra for compound 14	12
¹ H NMR and ¹³ C NMR spectra for compound 15	13
¹ H- ¹ H noesy NMR spectrum for compound 4	14
¹ H- ¹ H noesy NMR spectrum for compound 5	15
ORTEP drawing of compound 3	16








1H NMR 400 MHz, rt , $CDCl_3$





^{13}C NMR 100 MHz, rt , $CDCl_3$




¹H NMR 400 MHz, rt, CDCl₃





¹³C NMR 75 MHz, rt, CDCl₃




^1H NMR 400 MHz, 333 K, CDCl_3





^{13}C NMR 75 MHz, 333 K, CDCl_3




¹H NMR 400 MHz, 333 K, CDCl₃





¹³C NMR 75 MHz, 333 K, CDCl₃




^1H NMR 400 MHz, 333 K, CDCl_3




^{13}C NMR 75 MHz, 333 K, CDCl_3




^1H NMR 400 MHz, 333 K, CDCl_3




^{13}C NMR 100 MHz, 333 K, CDCl_3





11




^1H NMR 400 MHz, 333 K, CDCl_3






^{13}C NMR 100 MHz, 333 K, CDCl_3





^1H NMR 400 MHz, 333 K, CDCl_3




^{13}C NMR 100 MHz, 333 K, CDCl_3












^1H NMR 400 MHz, 333 K, CDCl_3




^{13}C NMR 75 MHz, 333 K, CDCl_3









ORTEP drawing of compound 3. Thermal ellipsoids are at 50% probability level.