

Supporting Information for Org. Biomol. Chem.

Oxazole glycopeptidomimetics that target arthritis-associated class II MHC proteins

**Ida E. Andersson,^a Tsvetelina Batsalova,^b Balik Dzhambazov,^b Lotta Edvinsson,^a Rikard
Holmdahl,^b Jan Kihlberg,^{*,a,c} and Anna Linusson^{*,a}**

^a *Department of Chemistry, Umeå University, SE-901 87 Umeå, Sweden*

^b *Medical Inflammation Research, Department of Medical Biochemistry and Biophysics,
Karolinska Institute, SE-171 77 Stockholm, Sweden.*

^c *AstraZeneca R&D Mölndal, SE-431 83 Mölndal, Sweden.*

E-mail: jan.kihlberg@chem.umu.se, anna.linusson@chem.umu.se

Table of Contents

S2: ¹H and ¹³C NMR for compound **7**

S3: ¹H and ¹³C NMR for compound **8**


S4: ¹H and ¹³C NMR for compound **11**

S5: ¹H and ¹³C NMR for compound **12**



S6: ¹H and ¹³C NMR for compound **13**


S7: ¹H and ¹³C NMR for compound **14**

S8: HPLC chromatograms for glycopeptides **2, 3, and 4**






7








8










11








12









14



Glycopeptidomimetic 2



Glycopeptidomimetic 3



Glycopeptidomimetic 4

