

SUPPORTING INFORMATION

Synthesis of 1-substituted 1,2,3,4-tetrahydrobenz[*g*]isoquinoline-5,10-diones

Ekaterina Shinkevich,^a Jurgen Deblander,^a Sandra Matthijs,^b Jan Jacobs,^c Norbert De Kimpe,^c
Kourosch Abbaspour Tehrani^{*a,d}

^a *Laboratory of Organic Chemistry, Department of Applied Biological Sciences and Engineering, Faculty of Science and Bio-engineering Sciences, Vrije Universiteit Brussel, Pleinlaan 2, B-1050 Brussels, Belgium*

^b *Institut en Recherches Microbiologiques – Wiame, Campus du CERIA, 1 avenue Emile Gryson, bât 4B, B-1070 Brussels, Belgium*

^c *Department of Organic Chemistry, Faculty of Bioscience Engineering, Ghent University, Coupure Links 653, B-9000 Ghent, Belgium*


^d *Organic Synthesis, Faculty of Sciences, University of Antwerp, Groenenborgerlaan 171, B-2020 Antwerp, Belgium*


Kourosch.Abbaspourtehrani@ua.ac.be



CONTENTS


¹ H NMR and ¹³ C NMR spectra of 9	S3
¹ H NMR and ¹³ C NMR spectra of 7a	S4
¹ H NMR and ¹³ C NMR spectra of 7b	S5
¹ H NMR and ¹³ C NMR spectra of 7c	S6
¹ H NMR and ¹³ C NMR spectra of 7d	S7
¹ H NMR and ¹³ C NMR spectra of 10	S8
¹ H NMR and ¹³ C NMR spectra of 12a	S9
¹ H NMR and ¹³ C NMR spectra of 13a	S10
UPLC of 13a	S11
¹ H NMR spectra of 14 at 297 K and 323 K	S12
¹³ C NMR spectra of 14 at 298 K and 323 K	S13
UPLC of 14	S11
¹ H NMR and ¹³ C NMR spectra of 15	S14
¹ H NMR spectrum of 16	S16
¹ H NMR and ¹³ C NMR spectra of 21	S17
UPLC of 21	S18
¹ H NMR and ¹³ C NMR spectra of 22	S19


UPLC of 22	S20
¹ H NMR and ¹³ C NMR spectra of 12b	S21
¹ H NMR and ¹³ C NMR spectra of 12c	S22
UPLC of 12c	S23
¹ H NMR and ¹³ C NMR spectra of 12d	S24
¹ H NMR and ¹³ C NMR spectra of 12e	S25
¹ H NMR and ¹³ C NMR spectra of 23a	S26
UPLC of 23a	S27
¹ H NMR and ¹³ C NMR spectra of 23b	S28
UPLC of 23b	S29
¹ H NMR and ¹³ C NMR spectra of 23c	S30
¹ H NMR spectrum of 24b , ¹³ C NMR spectrum of 25	S31
¹ H NMR spectra of 25 at 295 K and 323 K	S32
UPLC of 25	S33
¹ H NMR spectra of 26 at 298 K and 323 K	S34
¹ H NMR spectrum of 26 at 243 K, ¹³ C NMR spectrum of 26 at 298 K	S35
UPLC of 26	S36
¹ H NMR and ¹³ C NMR spectra of 27	S37
¹ H NMR and ¹³ C NMR spectra of 31	S38
¹ H NMR and ¹³ C NMR spectra of 32	S39



























13a











14













21







22










12c















23a



















25

2: Diode Array
236.76
Range: 3.05







26

