

Supplementary data

Synthesis of pyranopyrazoles using isonicotinic acid as a dual and biological organocatalyst

Mohammad Ali Zolfigol,^{*a} Ahmad Reza Moosavi-Zare,^{*b} Mahsa Tavasoli,^a Parvin Moosavi,^a
Hendrik Gerhardus Kruger,^c Morteza Shiri,^d Vahid Khakyzadeh^a

^a*Faculty of Chemistry, Bu-Ali Sina University, Hamedan, 6517838683, Iran.*

^b*Department of Chemistry, University of Sayyed Jamaledin Asadabadi, Asadabad,
6541835583, Iran.*

^c*Catalysis and Peptide Research Unit, School of Health Science, University of KwaZulu-
Natal, Durban 4001, South Africa*

^d*Department of Chemistry, College of Science, Alzahra University, Vanak 1993893973,
Tehran, Iran.*


^{*}Corresponding author. Fax: +988118257407, *E-mail addresses:*

moosavizare@yahoo.com, mzolfigol@yahoo.com.

Table of Contents


Data of compounds.....	2
NMR spectra of compounds.....	8

Data of Compounds:




6-amino-3-methyl-4-phenyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (1).

FT-IR (KBr) $\nu_{\max}(\text{cm}^{-1})$: 1045, 2193, 3172, 3311, 3374. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.77 (s, 3H), 4.58 (s, 1H), 6.85 (s, 2H), 7.15-7.23 (m, 3H), 7.29-7.33 (m, 2H), 12.08 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.69, 36.19, 57.15, 97.60, 120.74, 126.69, 127.42, 128.39, 135.53, 144.40, 154.73, 160.83.




6-amino-4-(2-chlorophenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (3).

FT-IR (KBr) $\nu_{\max}(\text{cm}^{-1})$: 764, 1053, 2190, 3169, 3314, 3392. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.76 (s, 3H), 5.06 (s, 1H), 6.93 (s, 2H), 7.17-7.18 (d, $J = 4.0$ Hz, 1H), 7.25-7.30 (m, 2H), 7.39-7.41 (d, $J = 8.0$ Hz, 1H), 12.11 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.49, 33.40, 55.69, 96.81, 120.37, 127.72, 128.55, 129.44, 130.67, 131.92, 135.33, 140.88, 154.91, 161.26.




6-amino-4-(2-bromophenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (4).

FT-IR (KBr) ν_{\max} (cm^{-1}): 550, 1052, 2190, 3155, 3310, 3392. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.75 (s, 3H), 5.06 (s, 1H), 6.94 (s, 2H), 7.15-7.19 (m, 2H), 7.32-7.34 (d, $J = 8.0$ Hz, 1H), 7.56-7.58 (d, $J = 8.0$ Hz, 1H), 12.12 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.62, 35.84, 55.93, 96.99, 120.26, 122.37, 128.24, 128.87, 130.90, 132.58, 133.39, 135.36, 154.85, 161.17.




6-amino-4-(2-methoxyphenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (5).

FT-IR (KBr) ν_{\max} (cm^{-1}): 1047, 2195, 2837, 3160, 3313, 3376. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.78 (s, 3H), 3.77 (s, 3H), 4.96 (s, 1H), 6.77 (s, 2H), 6.87-6.91 (m, 1H), 6.96-7.00 (m, 2H), 7.17-7.21 (m, 1H), 11.99 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.45, 29.09, 55.53, 56.33, 97.78, 111.26, 120.77, 120.84, 127.86, 128.57, 132.07, 134.99, 155.04, 156.31, 161.43.




6-amino-4-(4-hydroxy-3-methoxyphenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (6).

FT-IR (KBr) $\nu_{\max}(\text{cm}^{-1})$: 1029, 2195, 2981, 3220, 3274, 3328, 3412, 3490. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.81 (s, 3H), 3.70 (s, 3H), 4.49 (s, 1H), 6.52-6.55 (m, 1H), 6.69-6.71 (m, 2H), 6.77 (s, 2H), 8.83 (s, 1H), 12.04 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.79, 35.79, 55.57, 57.59, 97.85, 111.57, 115.37, 119.72, 120.87, 135.34, 135.55, 145.19, 147.29, 154.68, 160.64.




6-amino-4-(3-hydroxyphenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (7).

FT-IR (KBr) $\nu_{\max}(\text{cm}^{-1})$: 1048, 2177, 3167, 3307, 3362. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.74 (s, 3H), 4.41 (s, 1H), 6.46-6.55 (m, 3H), 6.76 (s, 2H), 7-7.04 (m, 1H), 9.23 (s, 1H), 12.00 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.72, 36.13, 57.21, 97.65, 113.78, 114.09, 118.14, 120.77, 129.22, 135.51, 145.93, 154.72, 157.38, 160.80.




6-amino-4-(4-(dimethylamino)phenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (8).

FT-IR (KBr) ν_{\max} (cm^{-1}): 1053, 2189, 3172, 3305, 3385. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.78 (s, 3H), 3.34 (s, 6H), 4.44 (s, 1H), 6.65 (d, $J = 8.0$ Hz, 2H), 6.73 (s, 2H), 6.95 (d, $J = 8.0$ Hz, 2H), 12.02 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.74, 35.32, 57.95, 98.14, 112.28, 120.92, 127.93, 132.01, 135.43, 149.18, 154.75, 160.51.




6-amino-3-methyl-4-(3-nitrophenyl)-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (9).

FT-IR (KBr) ν_{\max} (cm^{-1}): 1041, 2195, 3117, 3225, 3474. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.80 (s, 3H), 4.87 (s, 1H), 7.03 (s, 2H), 7.64-7.66 (m, 2H), 8.01 (s, 1H), 8.10-8.12 (m, 1H), 12.19 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.71, 35.61, 56.114, 96.63, 120.47, 121.80, 121.94, 130.21, 134.34, 135.86, 146.79, 147.85, 154.66, 161.11.




6-amino-3-methyl-4-(thiophen-2-yl)-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (10).

FT-IR (KBr) ν_{\max} (cm^{-1}): 1044, 2192, 3176, 3315, 3362. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.84 (s, 3H), 4.92 (s, 1H), 6.86-6.94 (m, 4H), 7.29-7.30 (m, 1H), 12.09 (s, 1H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 9.69, 31.36, 57.56, 97.52, 120.57, 124.32, 124.93, 126.47, 136, 149.72, 154.26, 160.61.




6-amino-3-methyl-1-(4-nitrophenyl)-4-phenyl-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (11).

$^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.79 (s, 3H), 4.69 (s, 1H), 7.26-7.32 (m, 5H), 7.35 (s, 2H), 8.10 (d, $J = 9.2$ Hz, 2H), 8.30 (d, $J = 9.2$ Hz, 2H), $^{13}\text{C-NMR}$ (150 MHz, $\text{DMSO-}d_6$) δ : 12.6, 18.5, 55.9, 99.9, 119.3, 125.5, 127.1, 127.8, 128.5, 142.3, 143.1, 144.2, 144.6, 147.5, 159.1. $m/z = 373$ (M^+); CHN Analysis: Anal. Calcd for $\text{C}_{20}\text{H}_{15}\text{N}_5\text{O}_3$: C, 64.34; H, 4.05; N, 18.78. Found: C, 64.38; H, 3.96; N, 18.67.




6-amino-4-(2-methoxyphenyl)-3-methyl-2-(4-nitrophenyl)-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (12).

FT-IR (KBr) $\nu_{\max}(\text{cm}^{-1})$: 1059, 2186, 2837, 3206, 3327, 3384. $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.80 (s, 3H), 3.79 (s, 3H), 5.02 (s, 1H), 6.92-6.94 (m, 1H), 7.02-7.04 (m, 1H), 7.10-7.12 (m, 1H), 7.22-7.24 (m, 3H), 8.09 (d, $J = 9.1$ Hz, 2H), 8.00 (d, $J = 8.0$ Hz, 2H). $^{13}\text{C-NMR}$ (100 MHz, $\text{DMSO-}d_6$) δ : 12.33, 29.86, 55.66, 57.28, 99.95, 111.47, 119.17, 119.80, 120.84, 125.03, 128.43, 129.12, 130.66, 142.42, 144.20, 144.99, 147.27, 156.64, 159.76. $m/z = 403$ (M^+); CHN Analysis: Anal. Calcd for $\text{C}_{21}\text{H}_{17}\text{N}_5\text{O}_4$: C, 62.53; H, 4.25; N, 17.36. Found: C, 62.41; H, 4.30; N, 17.28.



6-amino-4-(4-chlorophenyl)-3-methyl-1-(4-nitrophenyl)-1,4-dihydropyranopyrazole-5-carbonitrile (13).

FT-IR (KBr) ν_{\max} (cm^{-1}): 1062, 2194, 3206, 3329, 3418; $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 1.84 (s, 3H), 4.75 (s, 1H), 7.21 (s, 2H), 7.32 (d, $J = 6.0$ Hz, 2H), 7.41 (d, $J = 6.0$ Hz, 2H), 8.12 (d, $J = 8.0$ Hz, 2H), 8.31 (d, $J = 8.0$ Hz, 2H); $^{13}\text{C-NMR}$ (150 MHz, $\text{DMSO-}d_6$) δ : 13.06, 36.58, 58.71, 100.01, 119.86, 120.01, 125.42, 129.03, 130.18, 132.30, 142.69, 142.89, 145.03, 145.33, 147.95, 159.75; $m/z = 407$ (M^+); CHN Analysis: Anal. Calcd for $\text{C}_{20}\text{H}_{14}\text{ClN}_5\text{O}_3$: C, 58.90; H, 3.46; N, 17.17. Found: C, 58.83; H, 3.52; N, 17.09.





4,4'-(1,4-phenylene)bis(6-amino-3-methyl-2,4-dihydropyranopyrazole-5-carbonitrile)

(14):



FT-IR (KBr) ν_{\max} (cm^{-1}): 744, 1394, 1491, 1598, 2191, 3225, 3329; $^1\text{H-NMR}$ (400 MHz, $\text{DMSO-}d_6$) δ : 2.43 (s, 6H), 4.64 (s, 2H), 6.76-6.89 (m, 4H), 7.04-7.23 (m, 4H), 12.00 (s, 2H), $^{13}\text{C-NMR}$ (150 MHz, $\text{DMSO-}d_6$) δ : 10.41, 35.95, 57.15, 97.76, 120.83, 126.81, 127.67, 135.63, 142.78, 154.71, 160.88; MS: $m/z = 426$ (M^+); CHN Analysis: Anal. Calcd for $\text{C}_{22}\text{H}_{18}\text{N}_8\text{O}_2$: C, 61.96; H, 4.25; N, 26.28. Found: C, 62.08; H, 4.18; N, 26.16.

NMR spectra of compounds:



6-amino-3-methyl-4-phenyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (1).





6-amino-4-(2-chlorophenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile
(3).





6-amino-4-(2-bromophenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile
(4).





6-amino-4-(2-methoxyphenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (5).





6-amino-4-(4-hydroxy-3-methoxyphenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (6).





6-amino-4-(3-hydroxyphenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (7).





6-amino-4-(4-(dimethylamino)phenyl)-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (8).





6-amino-3-methyl-4-(3-nitrophenyl)-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (9).




6-amino-3-methyl-4-(thiophen-2-yl)-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile
(10).




6-amino-4-(2-methoxyphenyl)-3-methyl-1-(4-nitrophenyl)-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (12).









Abundance



6-amino-4-(4-chlorophenyl)-3-methyl-1-(4-nitrophenyl)-1,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile (13).





4,4'-(1,4-phenylene)bis(6-amino-3-methyl-2,4-dihydropyrano[2,3-c]pyrazole-5-carbonitrile) (14).

