

Supporting Information

FeCl₃·6H₂O catalyzed aqueous media domino synthesis of 5-monoalkylbarbiturates: Water as both reactant and solvent


Subarna Jyoti Kalita, Hormi Mecadon* and Dibakar Chandra Deka*

Department of Chemistry, University of Gauhati, G.B. Nagar, Guwahati 781014, Assam,
India

Emails: hormimecadon@gmail.com/ dcdeka@rediffmail.com

	Contents	Page
I	Supporting Information.....	01
II	X-ray Structure of 5-(1-(2-chlorophenyl)-3-oxobutyl)-1,3-dimethylpyrimidine-2,4,6(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trione (4bb)	02
III	¹ H NMR and ¹³ C NMR spectra of the products.....	03-35

II. X-ray structure of 5-(1-(2-chlorophenyl)-3-oxobutyl)-1,3-dimethylpyrimidine-2,4,6-(1*H*,3*H*,5*H*)-trione (4bb).



X-ray structure of **4bb** [CCDC 959094]. Hydrogen atoms omitted for clarity. This data can be obtained free of charge from The Cambridge Crystallographic Data Center *via* www.ccdc.cam.ac.uk/data_request/cif.

III. ^1H NMR and ^{13}C NMR Spectra of the Products