

## Supporting Information

# Phase Transfer Agent Assisted Biphasic CuAAC Reaction

*Jae Hyun Kim and Sanghee Kim\**

College of Pharmacy, Seoul National University, Seoul 151-742, Korea

pennkim@snu.ac.kr

## Contents

<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4a</b>	S1	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4l</b>	S12
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4b</b>	S2	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4m</b>	S13
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4c</b>	S3	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4n</b>	S14
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4d</b>	S4	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4o</b>	S15
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4e</b>	S5	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4p</b>	S16
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4f</b>	S6	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4q</b>	S17
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4g</b>	S7	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4r</b>	S18
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4h</b>	S8	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4s</b>	S19
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4i</b>	S9	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4t</b>	S20
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4j</b>	S10	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>7</b>	S21
<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>4k</b>	S11	<sup>1</sup> H and <sup>13</sup> C NMR Spectra of <b>5</b>	S22

# $^1\text{H}$ NMR and $^{13}\text{C}$ NMR Spectra















































