

Electronic Supplementary Information (ESI) for

Self-deposition of Pt nanocrystals on Mn_3O_4 coated carbon nanotubes for enhanced oxygen reduction electrocatalysis

Yu-Ping Xiao,^{a, b, ‡} Wen-Jie Jiang,^{a, b, ‡} Shuo Wan,^c Xing Zhang,^a Jin-Song Hu,^{*a}
Zi-Dong Wei,^{*b} and Li-Jun Wan^a

^a Key Laboratory of Molecular Nanostructure and Nanotechnology, Beijing National Laboratory for Molecular Sciences, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China. Fax: +86 10 82613929; Tel: +86 10 82613929; E-mail: hujis@iccas.ac.cn

^b The State Key Laboratory of Power Transmission Equipment & System Security and New Technology, College of Chemistry and Chemical Engineering, Chongqing University, Chongqing, 400044, China. E-mail: zdwei@cqu.edu.cn

^c College of Chemistry and Chemical Engineering, Xiamen University, Xiamen 361005, China

Figure S1. XRD pattern of pure carbon nanotubes.




Figure S2. Energy dispersed spectrum (EDS) of $\text{Mn}_3\text{O}_4/\text{CNTs}$, taken on catalysts dispersed on TEM grid.




Figure S3. Energy dispersed spectrum (EDS) of $\text{Pt}/\text{Mn}_3\text{O}_4/\text{CNTs}$, taken on catalysts dispersed on Si. Si signal is from Si substrate for SEM.




Figure S4. The size distribution histogram of Pt nanocrystals in $\text{Pt}/\text{Mn}_3\text{O}_4/\text{CNTs}$.

