## **Supporting Information**

Onion-like Carbon Matrix Supported Co<sub>3</sub>O<sub>4</sub> Nanocomposites: a Highly Reversible Anode Material for Lithium Ion Batteries with Excellent Cycling Stability

Ye Wang,<sup>a</sup> Fei Yan,<sup>b</sup> Shuwei Liu,<sup>b</sup> Alex Yuan Sheng Tan,<sup>a</sup> Xiao Wei Sun,<sup>b,c</sup> Hui Ying Yang <sup>a</sup>\*

<sup>&</sup>lt;sup>a</sup> Pillar of Engineering Product Development, Singapore University of Technology and Design, 20 Dover Drive, 138682, Singapore

<sup>&</sup>lt;sup>b</sup> School of Electrical and Electronic Engineering, Nanyang Technological University, 639798, Singapore

<sup>&</sup>lt;sup>c</sup> South University of Science and Technology, 1088 Xue-Yuan Road, Shenzhen, Guangdong 518055, China

<sup>\*</sup>Email: yanghuiying@sutd.edu.sg

## **Supporting Figures**




Fig. S1. Electrochemical performance of the pure OLC electrode: (a) cyclic voltammetry curves in the first two cycles at a scan rate of  $0.1 \text{ mV s}^{-1}$  in a potential range of 0.01 - 3 V versus Li/Li<sup>+</sup>, and (b) cyclic performance at a current density of  $200 \text{ mA g}^{-1}$ .