

Visible-light degradable polymer coated hollow mesoporous silica nanoparticles for controlled drug release and cell imaging

Shun Yang ^a, Najun Li* ^{a,b}, Dongyun Chen ^a, Xiuxiu Qi ^a, Yujie Xu ^c, Ying Xu ^c, Qingfeng Xu ^{a,b}, Hua Li ^{a,b} and Jianmei Lu* ^{a,b}

^a Jiangsu Key Laboratory of Advanced Functional Polymer Design and Application, College of Chemistry, Chemical Engineering and Materials Science, Soochow University, Suzhou, 215123 China.

^b State Key Laboratory of Treatments and Recycling for Organic Effluents by Adsorption in Petroleum and Chemical Industry, Suzhou, 215123 China.

^c Medical College of Radiation Medicine and Protection, Soochow University, Suzhou, 215123, China

* E-mail: linajun@suda.edu.cn, lujm@suda.edu.cn; Tel./Fax: +86 (0) 512-6588 0367.

Supplementary Information




Fig. S1 ¹H NMR spectra of HAMAFA-*b*-MAPS




Fig. S2 ¹H NMR spectra of the photocleavage of HAMA-*b*-MAPS




Fig. S3 GPC of the photocleavage of HAMA-*b*-MAPS




Fig. S4 The fluorescence emission spectrum of CRHMS@HFMP




Fig. S5 Enlarged TEM images of the nanocomposites




Fig. S6 UV-Vis spectra of nanocomposites




Fig. S7 N₂ adsorption–desorption isotherm and the corresponding pore size distribution inset of HMS, CRHMS and DOX@CRHMS