Electronic Supplementary Information for:

## Highly sensitive thin film phototransistors based on a copolymer of benzodithiophene and diketopyrrolopyrrole

Lanchao Ma,<sup>a, d</sup> Zhengran Yi,<sup>b</sup> Shuai Wang,\*<sup>b</sup> Yunqi Liu,\*<sup>a</sup> Xiaowei Zhan\*<sup>a, c</sup>

<sup>a</sup> Beijing National Laboratory for Molecular Sciences and CAS Key Laboratory of Organic Solids,

Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China. E-mail:

xwzhan@iccas.ac.cn (X.Z.), liuyq@iccas.ac.cn (Y.L.)

<sup>b</sup> College of Chemistry and Chemical Engineering and Ministry of Education Key Laboratory for

Large-Format Battery Materials and System, Hubei Key Laboratory of Material Chemistry and

Service Failure, Huazhong University of Science and Technology, Wuhan, 430074, China. E-mail:

chmsamuel@mail.hust.edu.cn (S.W.)

<sup>c</sup> Department of Materials Science and Engineering, College of Engineering, Peking University, Beijing 100871, China.

<sup>d</sup> University of Chinese Academy of Sciences, Beijing 100049, China.



Fig. S1 The absorption coefficient of P(DPP4T-co-BDT) thin film on quartz substrate.



Fig. S2 2D GIXRD image of P(DPP4T-co-BDT) thin films on OTS-treated SiO<sub>2</sub>/Si substrates after thermal treatment at 200 °C.



Fig. S3 The output characteristics of the OTFPTs (A) in the dark and (B) under white light

irradiation with a power of 9.7  $\mu$ W/cm<sup>2</sup>.



Fig. S4 The transfer curves of OTFPTs with different started gate voltage ( $V_{GS \text{ start}}$ ) in dark (A) and under illumination (B).



Fig. S5 The reversibility of the OTFPTs.



Figure S6. <sup>1</sup>H NMR spectrum of 2.



Fig. S7 <sup>13</sup>C NMR spectrum of 2.



Fig. S8 MALDI-TOF of 2.